Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics
Tobacco Section

Released
Oct. 15, 1932.

STOCKS OF LEAF TOBACCO OWNED BY MANUFACTURERS AND DEALERS

OCTOBER 1, 1932

Stocks of leaf tobacco in the United States owned by dealers and manufacturers amounted to 2,095,011,000 pounds on October 1, 1932, compared with 1,841,097,000 pounds on October 1, 1931. This is an increase in total stocks of 253,914,000 pounds over the stocks of a year ago, however, the decrease during the quarterly period from July 1 to October 1 this year was greater than the decrease during 1931. From July 1, 1932 to October 1, 1932 total stocks decreased 143,727,000 pounds. The decrease during the same period of 1931 amounted to only 73,622,000 pounds.

Stocks of flue-cured tobacco on hand October 1, 1932 were 720,508,000 pounds compared with 739,356,000 pounds on October 1, 1931, a decrease of 18,848,000 pounds. During the third quarter of 1932 flue-cured stocks decreased 24,699,000 pounds, whereas, during the third quarter of 1931, flue-cured stocks increased 62,604,000 pounds. The detailed report by groups of grades shows no change in the proportion of flue-cured tobacco in the various groups.

Stocks of fire-cured tobacco are reported as 194,869,000 pounds on October 1, 1932, or 33,811,000 pounds higher than a year ago. Virginia Fire-cured, Type 21, reported as 32,216,000 pounds shows an increase of 3,609,000 pounds over the stocks of October 1, 1931. Kentucky and Tennessee Fire-cured, Types 22 and 23 combined, show total stocks on October 1, 1932 of 158,506,000 pounds compared with 129,349,000 pounds on October 1, 1931. Stocks of Henderson Stemming, Type 24, amounted to 4,147,000 pounds on October 1, 1932, compared with 3,102,000 pounds a year ago, and 5,186,000 pounds on July 1, 1932.

Burley stocks were about 149 million pounds higher on October 1 than they were a year ago. The October 1, 1932 report shows 585,902,000 pounds on hand compared with 436,802,000 pounds on hand October 1, 1931. The decrease in Burley stocks during the third quarter of 1932, was about the same as that of the third quarter of 1931. Maryland tobacco stocks continue to increase, and were higher on October 1 than they have been for a number of years. The report shows stocks of this type as 30,670,000 pounds. On October 1, 1931 Maryland stocks were 22,109,000 pounds.

One-Sucker stocks on October 1, 1932 amounted to 33,710,000 pounds, about 4 million pounds lower than on July 1, 1932 and slightly higher than a year ago. Green River stocks, reported as 36,305,000 pounds, were about 12 million pounds higher than a year ago. Virginia Sun-cured stocks were reported as 3,358,000 pounds on October 1. Miscellaneous Domestic stocks amounted to 2,182,000 pounds, and foreign grown cigarette tobacco stocks (Other than cigar-Leaf, Type 90) were reported as 71,873,000 pounds on October 1, 1932.

October 1 Cigar Leaf Tobacco Stocks.

Stocks of American-grown cigar filler types, including Porto Rican, amounted to 187,765,000 pounds on October 1, 1932 compared with 154,351,000 pounds on October 1, 1931, an increase of 33,414,000 pounds over the holdings of the previous year. This increase is in Types 41, 43, and 44. Types 42, 45 and 46 show a slight decrease. Filler stocks show a normal decrease during the third quarter.

The cigar binder type stocks were 27,233,000 pounds higher on October 1, 1932 than they were on October 1, 1931. Total binder type stocks were reported as 198,847,000 pounds on October 1, 1932. The detailed report by groups of grades shows that of the total stocks reported, 14,202,000 pounds are of Wrapper quality, 76,094,000 pounds are Binder, 8,890,000 pounds are Fillers, and 109,478,000 pounds are Stemming or X group Tobacco.

Shade-grown wrapper stocks were practically the same on October 1, 1932 as they were a year ago. Total shade stocks were reported as 16,059,000 pounds, Type 61 totaling 10,902,000 pounds and Type 62 reported as 5,157,000 pounds. Of the total reported, 11,678,000 pounds are shown in the detailed report in the A group, as being of actual wrapper quality. Foreign cigar-leaf tobacco stocks were reported as 12,963,000 pounds on October 1, 1932.

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13 and 14:
- A-Wrappers
- B-Heavy Leaf, Cutting Leaf, and Fillers
- C-Thin Leaf or Cutters
- X-Lugs and Ground Leaves
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 21, 22, 23 and 24:
- A-Wrappers
- B-Heavy Leaf
- C-Thin Leaf
- X-Lugs
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 31:
- A-Wrappers
- B-Leaf or Fillers and Tips
- C-Lugs, or Cutters
- X-Trash, Flyings and Spods
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 32:
- B-Heavy Leaf, locally known as Dull Crop
- C-Thin Leaf, locally known as Bright Crop
- X-Seconds and Ground Leaves
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 35, 36 and 37:
- A-Wrappers
- B-Heavy Leaf
- C-Thin Leaf
- X-Lugs
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 41:
- B-Binders or Tops
- C-Fillers, locally known as Wrappers or B's
- X-Stemming, Farm Fillers, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 42, 43 and 44:
- C-Fillers, locally known as Wrappers
- X-Stemming, Farm Fillers, Ground Leaves and crops unsuitable for sorting.
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 45:
- C-Fillers
- X-Stemming, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 46:
- C-Tripas or Fillers
- X-Resagos, Terceros, Boliches, and crops unsuitable for sorting.
- S-Scrap (Picadura), as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 51, 52 and 53:
- A-Wrappers
- B-Binders, locally known as Seconds
- C-Fillers, locally known as Tips or B's.
- X-Stemming, Sand-Leaf Fillers, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 54 and 55:
- B-Binders
- C-Fillers, locally known as Tips or B's.
- X-Stemming, Sand-Leaf Fillers, Bottom Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 61 and 62:
- A-Wrappers
- B-Binders
- C-Fillers, or Tips
- X-Trashy Fillers or Loose Leaves
- S-Scrap, as defined*
- N-Nondescript, as defined*

---

* For definitions of Scrap and Nondescript see Service and Regulatory Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS BY GROUPS OF GRADES
OCTOBER 1, 1932

U. S. TYPE 11.-OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA

Group	NEW CROPS		OLD CROPS		October 1	July 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	5,093	-	381	-	5,474	7,232
B	60,839	4,552	1,035	556	66,982	79,025
C	64,345	7,348	1,365	151	73,209	79,135
X	117,754	20,849	431	170	139,204	152,628
S	8,751	15	68	10	8,844	9,621
N	379	-	5	-	384	385
Total	257,161	32,764	3,285	887	294,097	328,026

U. S. TYPE 12.-EASTERN NORTH CAROLINA FLUE-CURED

A	194	-	-	-	194	178
B	42,221	1,852	253	46	44,372	49,468
C	66,011	5,743	2,341	197	74,292	76,955
X	90,357	17,056	285	2	107,700	104,503
S	5,100	48	64	-	5,212	6,371
N	558	-	-	-	558	361
Total	204,441	24,699	2,943	245	232,328	237,836

U. S. TYPE 13.-SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N.C.)

A	947	-	-	-	947	540
B	23,094	744	73	49	23,960	21,558
C	42,007	2,237	458	176	44,878	39,098
X	57,049	10,841	198	2	68,090	55,761
S	2,409	158	2	-	2,569	3,854
N	258	-	-	-	258	235
Total	125,764	13,980	731	227	140,702	121,046

U. S. TYPE 14.-GEORGIA AND FLORIDA FLUE-CURED

A	87	-	-	-	87	60
B	5,042	2,561	-	23	7,626	11,849
C	4,927	25,638	19	-	30,584	32,203
X	6,646	8,045	23	-	14,714	13,713
S	343	-	-	-	343	449
N	27	-	-	-	27	25
Total	17,072	36,244	42	23	53,381	58,299

(Figures rounded to nearest thousand pounds)

U. S. TYPE 21.-VIRGINIA FIRE-CURED

Group	NEW CROP Unstemmed 1000 lbs.	NEW CROP Stemmed 1000 lbs.	OLD CROP Unstemmed 1000 lbs.	OLD CROP Stemmed 1000 lbs.	OCTOBER 1 Group Totals 1000 lbs.	JULY 1 Group Totals 1000 lbs.
A	665	1	31	-	697	865
B	4,593	265	2,920	-	7,778	8,706
C	2,008	158	16	-	2,182	2,466
X	19,359	414	1,297	2	21,072	23,780
S	402	-	21	-	423	352
N	64	-	-	-	64	74
Total	27,091	838	4,285	2	32,216	36,243

U. S. TYPE 22.-TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H. &S)

A	2,741	-	22	-	2,763	3,739*
B	75,847	64	127	-	76,038	79,465*
C	9,300	1	20	-	9,321	11,388
X	28,767	-	79	-	28,846	31,791
S	1,760	7	17	-	1,784	1,525
N	708	-	-	-	708	1,057
Total	119,123	72	265	-	119,460	128,965*

U. S. TYPE 23.-KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M & P)

A	271	2	-	-	273	298
B	23,132	319	17	2	23,470	27,462*
C	5,451	-	-	-	5,451	5,436
X	8,608	-	17	-	8,625	13,692*
S	1,105	2	2	-	1,109	768
N	118	-	-	-	118	358
Total	38,685	323	36	2	39,046	48,014*

U. S. TYPE 24.-HENDERSON STEMMING OR NORTHERN FIRE-CURED

A	-	40	-	-	40	44
B	1,237	307	-	-	1,544	1,358*
C	881	19	-	-	900	779
X	1,493	23	2	-	1,518	2,691*
S	42	-	-	-	42	246
N	103	-	-	-	103	68
Total	3,756	389	2	-	4,147	5,186*

* Corrections in July 1, report.

(Figures rounded to nearest thousand pounds)

U. S. TYPE 31.-BURLEY

Group	NEW CROP Unstemmed 1000 lbs.	NEW CROP Stemmed 1000 lbs.	OLD CROP Unstemmed 1000 lbs.	OLD CROP Stemmed 1000 lbs.	October 1 Group Totals 1000 lbs.	July 1 Group Totals 1000 lbs.
A	1,156	-	2	-	1,158	1,341
B	272,126	41,484	54	868	314,532	346,072
C	144,062	10,323	161	611	155,157	173,813
X	83,886	10,882	24	-	94,792	107,890
S	15,668	999	21	1	16,689	18,245
N	3,565	7	2	-	3,574	3,805
Total	520,463	63,695	264	1,480	585,902	651,166

U. S. TYPE 32.-SOUTHERN MARYLAND.

B	10,601	-	-	-	10,601	7,765
C	13,442	1,172	1	-	14,615	10,307
X	5,200	28	3	-	5,231	3,252
S	29	-	-	-	29	195
N	194	-	-	-	194	158
Total	29,466	1,200	4	-	30,670	21,677

U. S. TYPE 35.-ONE SUCKER

A	1,328	-	-	-	1,328	1,257
B	13,436	-	1	1	13,438	15,503
C	9,462	-	32	-	9,494	10,523
X	7,838	119	-	-	7,957	8,631
S	817	-	-	-	817	617
N	676	-	-	-	676	964
Total	33,557	119	33	1	33,710	37,495

U. S. TYPE 36.-GREEN RIVER

A	455	89	-	-	544	438
B	15,179	94	33	20	15,326	16,585
C	1,573	259	169	-	2,001	1,992
X	16,061	389	60	4	16,514	16,676
S	895	23	-	-	918	904
N	1,002	-	-	-	1,002	357
Total	35,165	854	262	24	36,305	36,952

U. S. TYPE 37.-VIRGINIA SUN-CURED

A	56	-	-	-	56	237
B	430	44	15	20	509	566
C	292	-	16	2	310	383
X	952	1,472	-	30	2,454	2,988
S	24	5	-	-	29	29
N	-	-	-	-	-	4
Total	1,754	1,521	31	52	3,358	4,207

(Figures rounded to nearest thousand pounds)

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF

Group	NEW CROP Unstemmed 1000 lbs.	NEW CROP Stemmed 1000 lbs.	OLD CROP Unstemmed 1000 lbs.	OLD CROP Stemmed 1000 lbs.	October 1 Group Totals 1000 lbs.	July 1 Group Totals 1000 lbs.
B	1,020	7	-	-	1,027	1,393
C	71,595	2,647	668	157	75,067	80,454
X	26,412	4,843	7	55	31,317	32,673
S	3	228	-	-	231	182*
N	-	-	-	-	-	-
Total	99,030	7,725	675	212	107,642	114,702*

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY

C	14,902	626	16	71	15,615	16,179
X	3,243	141	21	-	3,405	4,077
S	44	81	-	-	125	254
Total	18,189	848	37	71	19,145	20,510

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY

C	18,987	915	601	131	20,634	21,756
X	6,667	338	-	-	7,005	7,434
S	6	25	-	-	31	135
Total	25,660	1,278	601	131	27,670	29,325

U. S. TYPE 44.-DUTCH, MIAMI VALLEY

C	8,117	58	214	1	8,390	8,722*
X	2,474	13	-	-	2,487	2,730
S	3	67	-	-	70	137
Total	10,594	138	214	1	10,947	11,589*

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN

C	661	1,360	-	-	2,021	2,271
X	-	-	1	-	1	2
S	-	3	-	-	3	4
Total	661	1,363	1	-	2,025	2,277

U. S. TYPE 46.-PORTO RICAN SUN-GROWN

C	76	15,310	59	7	15,452	17,662
X	1,390	2,576	-	37	4,003	4,508
S	360	521	-	-	881	1,300
Total	1,826	18,407	59	44	20,336	23,470

(Figures rounded to nearest thousand pounds)

* Corrections in July 1 report.

U. S. TYPE 51.-CONNECTICUT VALLEY BROADLEAF

Group	NEW CROP		OLD CROP		October 1	July 1
	Unstemmed: 1000 lbs.	Stemmed 1000 lbs.	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Group Totals: 1000 lbs.	Group Totals 1000 lbs.
A	1,640:	3	156	20	1,819	1,923*
B	24,159:	205	708	1	25,073	24,241*
C	1,154:	140	96	-	1,390	1,353
X	5,302:	2,986	-	-	8,288	9,218
S	7:	40	-	-	47	48
Total	32,262:	3,374	960	21	36,617	36,783*

U. S. TYPE 52.-CONNECTICUT VALLEY HAVANA SEED

A	1,988:	15	27	-	2,030	1,907*
B	24,776:	121	462	1	25,360	28,231
C	897:	75	-	-	972	1,316
X	5,139:	3,559	-	-	8,698	9,350
S	9:	7	-	-	16	50
Total	32,809:	3,777	489	1	37,076	40,854*

U. S. TYPE 53.-NEW YORK AND PENNSYLVANIA HAVANA SEED

A	311:	1	40	1	353	535
C	155:	5	-	-	160	225
X	3,290:	62	-	-	3,352	3,601
S	3:	11	-	2	16	9
Total	3,759:	79	40	3	3,881	4,370

U. S. TYPE 54.-SOUTHERN WISCONSIN

B	8,175:	24	473	76	8,748	9,457
C	2,770:	212	-	-	2,982	3,584
X	54,904:	7,273	-	-	62,177	65,660
S	11:	-	-	-	11	48
Total	65,860:	7,509	473	76	73,918	78,749

U. S. TYPE 55.-NORTHERN WISCONSIN

B	15,980:	108	825	-	16,913	17,811
C	3,168:	215	3	-	3,386	3,197
X	25,061:	1,902	-	-	26,963	28,604
S	15:	65	-	13	93	58
N	-	-	-	-	-	4
Total	44,224:	2,290	828	13	47,355	49,674

(Figures rounded to nearest thousand pounds)

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE

Group	NEW CROP Unstemmed 1000 lbs.	NEW CROP Stemmed 1000 lbs.	OLD CROP Unstemmed 1000 lbs.	OLD CROP Stemmed 1000 lbs.	October 1 Group Totals 1000 lbs.	July 1 Group Totals 1000 lbs.
A	7,054	59	58	-	7,171	5,398
B	2,764	65	1	-	2,830	4,729
C	556	78	3	40	677	342
X	130	14	5	-	149	161
S	1	74	-	-	75	90
Total	10,505	290	67	40	10,902	10,720

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE

A	4,472	13	22	-	4,507	3,118
B	465	22	-	-	487	450
C	119	12	-	-	131	48
X	28	-	-	-	28	-
S	1	-	-	-	1	-
N	3	-	-	-	3	-
Total	5,088	47	22	-	5,157	3,616

U. S. TYPE 70.-MISCELLANEOUS DOMESTIC

No Groups	1,765	279	44	94	2,182	2,551

U. S. TYPE 80.-FOREIGN-GROWN CIGAR LEAF TOBACCO

No Groups	5,218	7,628	103	14	12,963	13,839*

U. S. TYPE 90.-FOREIGN-GROWN TOBACCO OTHER THAN CIGAR LEAF

No Groups	68,228	4	3,125	516	71,873	80,597

GRAND TOTAL ALL TYPES

	NEW CROP Unstemmed 1000 lbs.	NEW CROP Stemmed 1000 lbs.	OLD CROP Unstemmed 1000 lbs.	OLD CROP Stemmed 1000 lbs.	Grand Total
October 1, 1932	1,839,176	231,734	19,921	4,180	2,095,011
July 1, 1932	1,973,802	232,912	26,734	5,272	2,238,738*

* Corrections in July 1 report.

(Figures rounded to nearest thousand pounds)

UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics, Tobacco Section

TOBACCO STOCKS REPORT

LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS OCTOBER 1, 1932

Washington, D. C.
October 15, 1932.

(Figures are in thousands of pounds)

TYPE NAME	U.S. Type No.	NEW CROPS Crops of 1928,'29,'30,'31 & '32 UNSTEMMED	NEW CROPS STEMMED	OLD CROPS Crops prior to 1928 UNSTEMMED	OLD CROPS STEMMED	TOTAL OF TYPE October 1, 1932	July 1, 1932	October 1, 1931	July 1, 1931
		1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
Old Belt Flue-cured Va. & N. C.	11	257,161	32,764	3,285	887	294,097	328,026	270,396	305,635
Eastern N. C. Flue-cured	12	204,441	24,699	2,943	245	232,328	237,836	231,500	206,995
South Carolina Flue-cured (Including Southeastern N.C.)	13	125,764	13,980	731	227	140,702	121,046	146,321	100,756
Ga. and Florida Flue-cured	14	17,072	36,244	42	23	53,381	58,299	90,639	63,366
Total Flue-cured	--	604,438	107,687	7,001	1,382	720,508	745,207	739,356	676,752
Virginia Fire-cured	21	27,091	838	4,285	2	32,216	36,243	28,607	33,241
Tenn. and Ky. Fire-cured (Eastern District C.H. and S.)	22	119,123	72	265	-	119,460	128,965*	102,121	121,372
Ky. and Tenn. Fire-cured (Western District M. and P.)	23	38,685	323	36	2	39,046	48,014*	27,228	34,174
Hendarson Stemming or Northern Fire-cured	24	3,756	389	2	-	4,147	5,186*	3,102	4,212
Total Fire-cured	--	188,655	1,622	4,588	4	194,869	218,408*	161,058	192,999
Burley	31	520,463	63,695	264	1,480	585,902	651,166	436,802	500,042
Southern Maryland	32	29,466	1,200	4	-	30,670	21,677	22,109	11,756
Total Light Air-cured	--	549,929	64,895	268	1,480	616,572	672,843	458,911	511,798
One Sucker	35	33,557	119	33	1	33,710	37,495	32,324	41,026
Green River	36	35,165	854	262	24	36,305	36,952	24,242	26,136
Va. Sun-cured	37	1,754	1,521	31	52	3,358	4,207	3,455	4,142
Total Dark Air-cured	--	70,476	2,494	326	77	73,373	78,654	60,021	71,304
Pennsylvania Seedleaf	41	99,030	7,725	675	212	107,642	114,702*	74,200	83,011
Gebhardt (Ohio-Miami Valley)	42	18,189	848	37	71	19,145	20,510	19,430	21,418
Zimmer (Ohio-Miami Valley)	43	25,660	1,278	601	131	27,670	29,325	24,958	27,601
Dutch (Ohio-Miami Valley)	44	10,594	138	214	1	10,947	11,589*	9,798	9,436
Ga. and Fla. Sun-grown	45	661	1,363	1	-	2,025	2,277	2,419	1,530
Porto Rican Sun-grown	46	1,826	18,407	59	44	20,336	23,470	23,546	24,940
Total Cigar-Filler Types	--	155,960	29,759	1,587	459	187,765	201,873*	154,351	167,936
Conn. Valley Broadleaf	51	32,262	3,374	960	21	36,617	36,783*	29,969	33,377
Conn. Valley Havana Seed	52	32,809	3,777	489	1	37,076	40,854*	33,442	38,265
N. Y. and Pa. Havana Seed	53	3,759	79	40	3	3,881	4,370	3,034	3,644
Southern Wisconsin	54	65,860	7,509	473	76	73,918	78,749	60,586	66,475
Northern Wisconsin	55	44,224	2,290	828	13	47,355	49,674	44,583	46,080
Total Cigar Binder Types	--	178,914	17,029	2,790	114	198,847	210,430*	171,614	187,841
Conn. Valley Shade	61	10,505	290	67	40	10,902	10,720	10,863	10,255
Ga. and Fla. Shade	62	5,088	47	22	-	5,157	3,616	5,197	4,110
Total Shade-grown	--	15,593	337	89	40	16,059	14,366	16,060	14,365
Miscellaneous Domestic	70	1,765	279	44	94	2,182	2,551	2,573	2,843
Foreign Cigar Leaf	80	5,218	7,628	103	14	12,963	13,339*	14,426	14,750
Foreign other than cigar leaf	90	68,228	4	3,125	516	71,373	80,597	62,727	74,131
TOTAL ALL TYPES	--	1,839,176	231,734	19,921	4,180	2,095,011	2,238,738*	1,841,097	1,914,719

These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners, except (a) the original growers of tobacco (b) manufacturers who in 1931, according to the returns of the Commissioner of Internal Revenue, manufactured less than 50,000 pounds of tobacco, less than 250,000 cigars, or less than 1,000,000 cigarettes, or (c) dealers who, on the average had less than 50,000 pounds of leaf tobacco in stock at the ends of the four quarters of 1931, pursuant to the provisions of the Tobacco Stocks and Standards Act, approved January 14, 1929.

* Corrections in July 1 report.

Nils A. Olsen, Chief
Bureau of Agricultural Economics